

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20040135572"	US-PGPUB; USPAT	OR	ON	2005/02/09 15:22
L2	1	1 and (axis with direction)	US-PGPUB; USPAT	OR	ON	2005/02/09 15:23
L3	1	1 and (axis and direction)	US-PGPUB; USPAT	OR	ON	2005/02/09 16:30
L13	734	(324/207.16,207.26).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/09 16:35
L14	2	13 and (electrostatic adj shield\$3)	US-PGPUB; USPAT	OR	OFF	2005/02/09 16:36
L15	2636	(324/158.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/09 16:36
L16	0	15 and (electrostatic adj shield\$3)	US-PGPUB; USPAT	OR	OFF	2005/02/09 16:36
L17	265	(324/234).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/09 16:36
L18	2	17 and (electrostatic adj shield\$3)	US-PGPUB; USPAT	OR	OFF	2005/02/09 16:36
S1	15315	(proximity or photoelectric)adj sensor	US-PGPUB; USPAT	OR	ON	2005/02/07 11:11
S2	1	S1 and (circuit with wire with wound\$3 with shield)	US-PGPUB; USPAT	OR	ON	2005/02/07 11:11
S3	2	S1 and ( wire with wound\$3 with shield)	US-PGPUB; USPAT	OR	ON	2005/02/07 11:12
S4	87	S1 and ( wire with shield)	US-PGPUB; USPAT	OR	ON	2005/02/07 11:12
S5	1959	(wire with (wound\$3 or wind\$4))same (shield\$3 or (electrostatic adj shield\$3))	US-PGPUB; USPAT	OR	ON	2005/02/07 15:06
S6	976	(wire with (wound\$3 or wind\$4))with (shield\$3 or (electrostatic adj shield\$3))	US-PGPUB; USPAT	OR	ON	2005/02/07 15:07
S7	27	(wire with (wound\$3 or wind\$4))with ( (electrostatic adj shield\$3))	US-PGPUB; USPAT	OR	ON	2005/02/07 15:07
S8	180	(photoelectric adj sensor)same (light with electric)	US-PGPUB; USPAT	OR	ON	2005/02/07 16:28
S9	44	(photoelectric adj sensor)same (light with electric with convert\$3)	US-PGPUB; USPAT	OR	ON	2005/02/07 16:28
S10	38	S8 and (shield\$3)	US-PGPUB; USPAT	OR	ON	2005/02/07 16:29
S11	19	S9 and (shield\$3)	US-PGPUB; USPAT	OR	ON	2005/02/07 16:30

S12	1	S9 and (electrostatic adj shield\$3)	US-PGPUB; USPAT	OR	ON	2005/02/07 16:29
S13	2	S8 and ((wind\$4 or wound\$4 )with shield\$4)	US-PGPUB; USPAT	OR	ON	2005/02/07 16:32
S14	1	S8 and (circuit adj board)and (board adj holder)	US-PGPUB; USPAT	OR	ON	2005/02/07 16:32
S15	254	(wire or copper )with (wind\$3 or wound\$4) with (core or circuit)with shield\$3	US-PGPUB; USPAT	OR	ON	2005/02/08 13:34
S16	7	(wire or copper )with (wind\$3 or wound\$4) with (core or circuit)with (electrostatic adj shield\$3)	US-PGPUB; USPAT	OR	ON	2005/02/08 13:50
S17	4	(wire)with (wind\$3 or wound\$4) with (core or circuit)with (electrostatic adj shield\$3)	US-PGPUB; USPAT	OR	ON	2005/02/08 13:51
S18	4	(wire)with (wind\$3 or wound\$4) with (core or circuit)with (electrostatic adj shield\$3)	US-PGPUB; USPAT	OR	ON	2005/02/08 13:51
S19	12	(wire)with (wind\$3 or wound\$4) with (core or circuit)with (electrostatic adj shield\$3)	EPO; JPO; DERWENT	OR	ON	2005/02/08 13:51
S20	9	(US-20040135572-\$).did. or (US-3747036-\$ or US-4038633-\$ or US-4117523-\$ or US-5003260-\$ or US-5371337-\$ or US-5801530-\$ or US-6577284-\$ or US-3683302-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/02/08 15:20
S21	0	S20 and photoelectric	US-PGPUB; USPAT	OR	ON	2005/02/08 15:20
S22	1	S20 and photoelectric	US-PGPUB; USPAT	OR	ON	2005/02/08 15:20
S23	4674	(photoelectric adj sensor)	US-PGPUB; USPAT	OR	ON	2005/02/08 15:25
S24	1627	(photoelectric adj sensor)with light	US-PGPUB; USPAT	OR	ON	2005/02/08 15:25
S25	11	S24 and (wire with shield\$3)	US-PGPUB; USPAT	OR	ON	2005/02/08 15:28
S26	7	S25 and ((circuit adj board)with (shield\$3 or wire))	US-PGPUB; USPAT	OR	ON	2005/02/08 15:29
S27	9	(US-20040135572-\$).did. or (US-3683302-\$ or US-3747036-\$ or US-4038633-\$ or US-4117523-\$ or US-5003260-\$ or US-5371337-\$ or US-5801530-\$ or US-6577284-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/02/09 14:02
S28	0	("1andground").PN.	US-PGPUB; USPAT	OR	OFF	2005/02/09 13:17

S29	6	S27 and ground	US-PGPUB; USPAT	OR	OFF	2005/02/09 13:18
S30	0	(photoelectric adj sensor)and ((board adj holder)with shield\$4)	US-PGPUB; USPAT	OR	ON	2005/02/09 14:03
S31	22	(photoelectric adj sensor)and (board with shield\$4)	US-PGPUB; USPAT	OR	ON	2005/02/09 14:17
S32	1	(photoelectric adj sensor)and (board with (electrostatic adj shield\$4))	US-PGPUB; USPAT	OR	ON	2005/02/09 14:04
S33	1	(photoelectric adj sensor)and (board same (electrostatic adj shield\$4))	US-PGPUB; USPAT	OR	ON	2005/02/09 14:04
S34	6	S31 and (holder and (circuit adj board)and (light adj receiv\$4))	US-PGPUB; USPAT	OR	ON	2005/02/09 14:05
S35	27	(photoelectric adj sensor)and ((light adj receiv\$4 or board) with (wind\$4 or wound\$4 or wire) )and shield\$4	US-PGPUB; USPAT	OR	ON	2005/02/09 15:22